




































Studiocode and Coda Terminology Translation

Studiocode V5	Coda V2
Interchangeable Functionality	
<p>Code Window</p> 	<p>Form</p> 
<p>Edit Mode</p> 	<p>Design Mode</p> 
<p>Code Button</p> 	<p>Event</p> 
<p>Label</p> 	<p>Tag</p> 
<p>Label Group</p> 	<p>Tag Group</p> 
<p>Inactive button</p> 	<p>Shape</p> 






Studiocode and Coda Terminology Translation

Studiocode V5	Coda V2
<p>Inactive button with transparent background, zero stroke width, and hidden identifier</p> 	<p>Text box</p> 
<p>Exclusive Link between two Code Buttons</p> 	<p>Exclusive Link Cluster</p> 
<p>Show name</p> 	<p>Caption</p> 
<p>Autoload from file</p> 	<p>Name Register</p> 
Similar Functionality	
<p>To create De/Activation link: Choose desired button name on De/Activation menu</p> 	<p>To create De/Activation link: Click and drag from/to desired button</p> 

Studiocode and Coda Terminology Translation

Studiocode V5	Coda V2
<p>To remove De/Activation link: Choose desired button name on De/Activation menu</p> 	<p>To remove De/Activation link: Single click on link, and click  or press Delete</p> 
<p>Hide, or Show links Above/Below buttons</p> 	<p>Select desired buttons to reveal Activation links</p> 
<p>Script: Move button front/back</p> 	<p>Popup Tag</p> 
<p>Script: count instances where row = "Button name"</p> 	<p>Counter</p> 
<p>Script: If (condition is true, Move button front/back)</p> 	<p>Container</p> 
Unique Functionality	
<p>Reactivate lag time</p> 	
<p>Populate</p> 	

Studiocode and Coda Terminology Translation

Studiocode V5	Coda V2
<p>Block all labels</p> 	
<p>Live Notes</p> 	
<p>Tool tip (hover mouse over button to reveal)</p> 	
	<p>Activate Event B upon completion of Event A (as opposed to upon initiation)</p> 
	<p>Pass Last Event as Tag</p> 
	<p>Slice</p> 